

1308 North Avenue, Port Norris, NJ 08349 Phone: 856.785.0840 Fax: 856.785.2354

Kristin Schell
Superintendent

Darren Harris, SBASchool Business Administrator

Alysia R. Thomson, M.Ed. Assistant Principal

John Lavell
Supervisor of Special Serv./CST Supervisor

COMMERCIAL TOWNSHIP SCHOOL SPORTS PHYSICAL PROCEDURES

All students trying out for any interscholastic sports <u>must</u> have a sports physical. Sports Physicals are good for one calendar year (365 days). If done in the Summer, athletes will then be covered for fall, winter and spring sports. We encourage Parents/Guardians to bring your child to your family physician since your own physician knows the medical history of your child. Physicals done privately must still be signed off by the school doctor. (N.J.A.C. 6A:16-2.2). This process can take up to 2 weeks, so keep this in mind if you want to make the deadline. No student shall try-out or practice in a sport until the school doctor has reviewed and signed off on the physical. It is important that you follow directions for each page of the physical packet when you go to your physician. If any of the forms are not signed or completed correctly, they will be returned to you and the student.

There will be <u>NO</u> physicals completed by our school physician in school this year.

- A. When having your child's physician perform the physical, please adhere to the following:
 - 1. Complete Health History Questionnaire, dated and signed by parent and student.
 - 2. Bring Health History Questionnaire and Pre-Participation Physical Exam Form to your child's physician for completion. Please make sure every item is complete and signed and stamped by the physician as well as the completion of the Student-Athlete Cardiac Assessment Professional Development Module.
 - 3. Clearance Form, dated and signed by the physician.
- B. Sudden Cardiac Death Pamphlet Sign-Off Sheet-dated and signed by parent and student.
- C. Sports Related Concussion & Head Injury Fact Sheet-dated and signed by parent and student.
- D. Use/Misuse of Opioid Drug Fact Sheet-Dated and signed by parent and student.
- E. Athletic Participation Contract-Dated and signed by parent and student.
- F. If your child carries an EPIPEN, a Food Allergy & Anaphylaxis Care Plan must be completed by the physician. This form can be downloaded from the school website or picked up in the nurse's office.
- G. If your child carries an inhaler, an Asthma Action Plan must be completed by the physician. This form can be downloaded from the school website or picked up in the nurse's office.
- H. If your child wears eyeglasses, bring them to the physical appointment.
- i. FAMILY PHYSICIAN'S NOTES WILL NOT BE ACCEPTED AS A REQUIREMENT FOR A SPORTS PHYSICAL.

If you have any questions, please email the school nurse, Mrs. Teasenfitz, at patricia.teasenfitz@commercialschools.org.

SCHOLASTIC STUDENT-ATHLETE SAFETY ACT INFORMATION FACT SHEET FOR PARENTS/GUARDIANS

Prior to participation on a school-sponsored interscholastic or intramural athletic team or squad, each student-athlete in grades six through 12 must present a completed Preparticipation Physical Evaluation (PPE) form to the designated school staff member. Important information regarding the PPE is provided below, and you should feel free to share with your child's medical home health care provider.

- 1. The PPE may ONLY be completed by a licensed physician, advanced practice nurse (APN) or physician assistant (PA) that has completed the Student-Athlete Cardiac Assessment professional development module. It is recommended that you verify that your medical provider has completed this module before scheduling an appointment for a PPE.
- The required PPE must be conducted within 365 days prior to the first official practice in an athletic season. The PPE form is available in English and Spanish at http://www.state.nj.us/education/students/safety/health/records/athleticphysicalsform.pdf.
- 3. The parent/guardian must complete the History Form (page one), and insert the date of the required physical examination at the top of the page.
- 4. The parent/guardian must complete The Athlete with Special Needs: Supplemental History Form (page two), if applicable, for a student with a disability that limits major life activities, and insert the date of the required physical examination on the top of the page.
- 5. The licensed physician, APN or PA who performs the physical examination must complete the remaining two pages of the PPE, and insert the date of the examination on the Physical Examination Form (page three) and Clearance Form (page four).
- 6. The licensed physician, APN or PA must also sign the certification statement on the PPE form attesting to the completion of the professional development module. Each board of education and charter school or nonpublic school governing authority must retain the original signed certification on the PPE form to attest to the qualification of the licensed physician, APN or PA to perform the PPE.
- 7. The school district must provide written notification to the parent/guardian, signed by the school physician, indicating approval of the student's participation in a school-sponsored interscholastic or intramural athletic team or squad based upon review of the medical report, or must provide the reason(s) for the disapproval of the student's participation.
- 8. For student-athletes that had a medical examination completed more than 90 days prior to the first official practice in an athletic season, the Health History Update Questionnaire (HHQ) form must be completed, and signed by the student's parent/guardian. The HHQ must be reviewed by the school nurse and, if applicable, the school's athletic trainer. The HHQ is available at http://www.state.nj.us/education/students/safety/health/records/HealthHistoryUpdate.pdf.

For more information, please review the Frequently Asked Questions which are available at http://www.state.nj.us/education/students/safety/health/services/athlete/faq.pdf. You may also direct questions to Commercial Township School Nurse: Patricia Teasenfitz RN, CSN, at 856-785-2333, ext. 2203.

R:\SHSS Unit\School Health\Sudden Cardiac Death\FINAL PD Module Broadcast memo March 10_KAW with attachement-REVD 04-10-15 CDP-KAW.docx

New Jersey Department of Education Health History Update Questionnaire

| Name of School: | mmercial Township School | | | |
|---|---|-------------------------------|--------------------------------|--|
| examination was comp | nool-sponsored interscholastic or intramural pleted more than 90 days prior to the first deed and signed by the student's parent or guarantees. | ay of official practice shall | | |
| Student: | | Age: | Grade: | |
| Date of Last Physical | Examination: | Sport: | | |
| | rticipation physical examination, has you | | | |
| 1. Been medically adv If yes, describe in o | ised not to participate in a sport? Yes Netail: | lo | | |
| 2. Sustained a concuss If yes, explain in de | tion, been unconscious or lost memory from | a blow to the head? Yes | No | |
| _ | orained/strained/dislocated any muscle or jo | ints? Yes No | | |
| If yes, describe in d | letail. | | | |
| 4. Fainted or "blacked | | | | |
| If yes, was this dur | ing or immediately after exercise? | | | |
| | ains, shortness of breath or "racing heart?" | Yes No | | |
| If yes, explain | | | | |
| 6. Has there been a rec | ent history of fatigue and unusual tiredness | ? Yes No | | |
| | | No | | |
| If yes, explain in de | | | | |
| | cal examination, has there been a sudden de k or "heart trouble?" Yes No | ath in the family or has any | member of the family under age | |
| 9. Started or stopped taking any over-the-counter or prescribed medications? Yes No | | | | |
| 10. Been diagnosed wi | th Coronavirus (COVID-19)? Yes No | | | |
| If diagnosed with | Coronavirus (COVID-19), was your son/da | aughter symptomatic? Yes | No | |
| _ | Coronavirus (COVID-19), was your son/da | - | | |
| 11. Has any member o | of the student-athlete's household been diagram | nosed with Coronavirus (CC | OVID-19)? Yes No | |
| Date: | Signature of parent/guardian: | | | |
| | Please Return Completed Form to th | e School Nurse's Office | | |

ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

PREPARTICIPATION PHYSICAL EVALUATION

| Name | | | Date of birth | | |
|--|----------|------------|--|--------|----------|
| · | | | Sport(s) | | |
| | | | | | |
| Medicines and Allergies: Please list all of the prescription and ove | r-the-co | unter m | edicines and supplements (herbal and nutritional) that you are currently | taking | |
| | | | | | |
| | | | | | |
| Do you have any allergies? ☐ Yes ☐ No If yes, please ide | ntify sn | ecific all | erny helow | | |
| ☐ Medicines ☐ Pollens | inity op | 00=10 all | ☐ Food ☐ Stinging Insects | | |
| explain "Yes" answers below. Circle questions you don't know the ar | ıswers t | 0. | | | |
| GENERAL QUESTIONS | Yes | No | MEDICAL QUESTIONS | Yes | N |
| Has a doctor ever denied or restricted your participation in sports for | | | 26. Do you cough, wheeze, or have difficulty breathing during or | | |
| any reason? | | | after exercise? 27. Have you ever used an inhaler or taken asthma medicine? | | - |
| 2. Do you have any ongoing medical conditions? If so, please identify below: ☐ Asthma ☐ Anemla ☐ Diabetes ☐ Infections | | | 28. Is there anyone in your family who has asthma? | | \vdash |
| Other: | | | 29. Were you born without or are you missing a kidney, an eye, a testicle | | - |
| 3. Have you ever spent the night in the hospital? | | | (males), your spleen, or any other organ? | | |
| 4. Have you ever had surgery? | | | 30. Do you have groin pain or a painful bulge or hernia in the groin area? | | |
| HEART HEALTH QUESTIONS ABOUT YOU | Yes | No | 31. Have you had infectious mononucleosis (mono) within the last month? | | L |
| 5. Have you ever passed out or nearly passed out DURING or AFTER exercise? | | | 32. Do you have any rashes, pressure sores, or other skin problems? | | |
| 6. Have you ever had discomfort, pain, tightness, or pressure in your | | | 33. Have you had a herpes or MRSA skin infection? 34. Have you ever had a head injury or concussion? | | \vdash |
| chest during exercise? | | | 35. Have you ever had a hit or blow to the head that caused confusion, | | \vdash |
| 7. Does your heart ever race or skip beats (irregular beats) during exercise? | | | prolonged headache, or memory problems? | | |
| 8. Has a doctor ever told you that you have any heart problems? If so, check all that apply: | | | 36. Do you have a history of selzure disorder? | | |
| ☐ High blood pressure ☐ A heart murmur | | | 37. Do you have headaches with exercise? | | |
| ☐ High cholesterol ☐ A heart infection | | | 38. Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or falling? | | |
| Kawasaki disease Other: 9. Has a doctor ever ordered a test for your heart? (For example, ECG/EKG, | | | 39. Have you ever been unable to move your arms or legs after being hit | | |
| echocardiogram) | | | or falling? | | |
| 10. Do you get lightheaded or feel more short of breath than expected | | | 40. Have you ever become ill while exercising in the heat? | | |
| during exercise? | <u> </u> | | 41. Do you get frequent muscle cramps when exercising? | | |
| 11. Have you ever had an unexplained seizure? | | | 42. Do you or someone in your family have sickle cell trait or disease? | | |
| 12. Do you get more tired or short of breath more quickly than your friends during exercise? | | | 43. Have you had any problems with your eyes or vision? | | _ |
| HEART HEALTH QUESTIONS ABOUT YOUR FAMILY | Yes | No | 44. Have you had any eye injuries? 45. Do you wear glasses or contact lenses? | | |
| 13. Has any family member or relative died of heart problems or had an | | | 46. Do you wear protective eyewear, such as goggles or a face shield? | | |
| unexpected or unexplained sudden death before age 50 (including drowning, unexplained car accident, or sudden infant death syndrome)? | | | 47. Do you worry about your weight? | | |
| 14. Does anyone In your family have hypertrophic cardiomyopathy, Marfan | | | 48. Are you trying to or has anyone recommended that you gain or | | |
| syndrome, arrhythmogenic right ventricular cardlomyopathy, long QT | | | lose weight? | | _ |
| syndrome, short QT syndrome, Brugada syndrome, or catecholaminergic polymorphic ventricular tachycardia? | | | 49. Are you on a special diet or do you avoid certain types of foods? | | |
| 15. Does anyone in your family have a heart problem, pacemaker, or | | | 50. Have you ever had an eating disorder? | | _ |
| implanted defibrillator? | | | 51. Do you have any concerns that you would like to discuss with a doctor? FEMALES ONLY | | |
| 16. Has anyone in your family had unexplained fainting, unexplained selzures, or near drowning? | | | 52. Have you ever had a menstrual period? | | |
| BONE AND JOINT QUESTIONS | Yes | No | 53. How old were you when you had your first menstrual period? | | |
| 17. Have you ever had an injury to a bone, muscle, ligament, or tendon | | | 54. How many periods have you had in the last 12 months? | | |
| that caused you to miss a practice or a game? | | | Explain "yes" answers here | | |
| 18. Have you ever had any broken or fractured bones or dislocated joints? | | | | | |
| 19. Have you ever had an injury that required x-rays, MRI, CT scan, injections, therapy, a brace, a cast, or crutches? | | | | | _ |
| 20. Have you ever had a stress fracture? | | | | | _ |
| 21. Have you ever been told that you have or have you had an x-ray for neck | | | | | - |
| Instability or atlantoaxial Instability? (Down syndrome or dwarfism) | | | | | - |
| 22. Do you regularly use a brace, orthotics, or other assistive device? | | | | | |
| 23. Do you have a bone, muscle, or joint injury that bothers you? 24. Do any of your joints become painful, swollen, feel warm, or look red? | | | | | |
| . To any or your joints become paintal, Swotter, reet warm, or look reg? | | | | | _ |

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medicine Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

■ PREPARTICIPATION PHYSICAL EVALUATION

THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

| Date of Exa | am | | | | | |
|--|--|----------------------------------|---|---------------|------|-----|
| Name | | | | Date of birth | | |
| Sex | Age | Grade | School | | | |
| 1. Type of | f disability | | | | | |
| 2. Date of | | | | | | |
| | lcation (if available) | | | | | |
| | | ease, accident/trauma, other) | | | | |
| | e sports you are intere | | | | | |
| O. Liot die | aporta you are intere | stou iir piaying | | | Yes | No. |
| 6. Do you | requiarly use a brace | , assistive device, or prosthet | in? | | tes | No |
| | | e or assistive device for sports | | | | - |
| | | ssure sores, or any other skin | | | | - |
| | | Do you use a hearing aid? | prosionia. | | | + |
| | have a visual impair | | | | | - |
| | | es for bowel or bladder funct | ion? | | | |
| | | omfort when urinating? | | | | |
| 13. Have yo | ou had autonomic dys | reflexia? | | | | |
| 14. Have yo | ou ever been dlagnos | ed with a heat-related (hypert | hermia) or cold-related (hypothermia) illness | 3? | | |
| | have muscle spastici | | | | | 1 |
| 16. Do you | have frequent seizure | es that cannot be controlled b | y medication? | | | |
| Explain yes | s" answers here | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Please Indic | ate If you have ever | had any of the following. | | | | |
| | | | | | Yes | No |
| Atlantoaxial | instability | | | | | |
| _ | ation for atlantoaxial i | | | | | |
| | olnts (more than one) | | | | | |
| Easy bleeding | | | | | | |
| Enlarged spi | leen | | | | | |
| Hepatitis | | | | | | |
| | or osteoporosis | | | | | |
| | ntrolling bowel | | | | | |
| | ntrolling bladder | | | | | |
| | or tingling in arms or I | | | | | |
| DESCRIPTION OF THE PARTY OF THE | or tingling in legs or fe | 980 | | | | |
| | n arms or hands | | | | | |
| | Weakness in legs or feet Recent change in coordination | | | | | |
| | nge in coordination | | | | | |
| Spina biflda | | | | | | |
| Latex allergy | | | | | | - |
| | | | | | | l, |
| Explain "yes | " answers here | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| l hereby state | e that, to the best of | my knowledge, my answer | s to the above questions are complete an | d correct. | | |
| Signature of ath | ilete | | Signature of parent/guardian | | Date | |
| | | | | | | |

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

PREPARTICIPATION PHYSICAL EVALUATION

PHYSICAL EXAMINATION FORM

Date of birth **PHYSICIAN REMINDERS** 1. Consider additional questions on more sensitive issues Do you feel stressed out or under a lot of pressure? Do you ever feel sad, hopeless, depressed, or anxious? Do you feel safe at your home or residence? * Have you ever tried cigarettes, chewing tobacco, snuff, or dip? During the past 30 days, did you use chewing tobacco, snuff, or dip? Do you drink alcohol or use any other drugs? • Have you ever taken anabolic steroids or used any other performance supplement? Have you ever taken any supplements to help you gain or lose weight or improve your performance?
 Do you wear a seat belt, use a helmet, and use condoms? 2. Consider reviewing questions on cardiovascular symptoms (questions 5-14). EXAMINATION Height Weight ☐ Male ☐ Female Vision R 20/ L 20/ Corrected D Y D N RP Pulse ABNORMAL FINDINGS NORMAL MEDICAL Appearance Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic Insufficiency) Eyes/ears/nose/throat Pupils equal Hearing Lymph nodes Murmurs (auscultation standing, supine, +/- Valsalva) Location of point of maximal impulse (PMI) Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)b Skin HSV, lesions suggestive of MRSA, tinea corporis Neurologic ^c MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hlp/thlgh Knee Leg/ankle Foot/toes Functional Duck-walk, single leg hop *Consider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam. *Consider GU exam if in private setting. Having third party present is recommended. *Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion. ☐ Cleared for all sports without restriction ☐ Cleared for all sports without restriction with recommendations for further evaluation or treatment for ■ Not cleared □ Pending further evaluation □ For any sports ☐ For certain sports ___ I have examined the above-named student and completed the preparticipation physical evaluation. The athlete does not present apparent clinical contraindications to practice and participate in the sport(s) as outlined above. A copy of the physical exam is on record in my office and can be made available to the school at the request of the parents. If conditions arise after the athlete has been cleared for participation, a physician may rescind the clearance until the problem is resolved and the potential consequences are completely explained to the athlete (and parents/guardians). Date of exam Name of physician, advanced practice nurse (APN), physician assistant (PA) (print/type)_

©2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

Address =

Signature of physician, APN, PA

■ PREPARTICIPATION PHYSICAL EVALUATION

CLEARANCE FORM

| Name | Sex L M LI F Age Date of birth |
|---|--|
| ☐ Cleared for all sports without restriction | |
| ☐ Cleared for all sports without restriction with recommendations | for further evaluation or treatment for |
| □ Not cleared | |
| ☐ Pending further evaluation | |
| ☐ For any sports | |
| | |
| | |
| Recommendations | |
| | |
| | |
| | |
| | |
| | |
| EMERGENCY INFORMATION | |
| Allergies | |
| | |
| | |
| | |
| | |
| | |
| Other information | |
| | |
| | |
| | |
| UOD OFFICE OTALED | COUCOU PINIOLOUN |
| HCP OFFICE STAMP | SCHOOL PHYSICIAN: |
| | Reviewed on(Date) |
| | Approved Not Approved |
| | Signature: |
| | See ₩ date on most |
| ciinical contraindications to practice and participate in t and can be made available to the school at the request o | ed the preparticipation physical evaluation. The athlete does not present apparent the sport(s) as outlined above. A copy of the physical exam is on record in my office of the parents. If conditions arise after the athlete has been cleared for participation, am is resolved and the potential consequences are completely explained to the athlete |
| Name of physician, advanced practice nurse (APN), physician a | ssistant (PA) Date |
| Address | Phone |
| | |
| Signature of physician, APN, PA | |
| Signature of physician, APN, PA Completed Cardiac Assessment Professional Development Mod | |

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

State of New Jersey DEPARTMENT OF EDUCATION

Sudden Cardiac Death Pamphlet Sign-Off Sheet

| Name of School District: |
|---|
| Name of Local School: |
| |
| I/We acknowledge that we received and reviewed the Sudden Cardiac Death in Young Athletes pamphlet. |
| |
| |
| Student Signature: |
| Parent or Guardian |
| Signature: |
| Date: |

Sports-Related Concussion and Head Injury Fact Sheet and Parent/Guardian Acknowledgement Form

A concussion is a brain injury that can be caused by a blow to the head or body that disrupts normal functioning of the brain. Concussions are a type of Traumatic Brain Injury (TBI), which can range from mild to severe and can disrupt the way the brain normally functions. Concussions can cause significant and sustained neuropsychological impairment affecting problem solving, planning, memory, attention, concentration, and behavior.

The Centers for Disease Control and Prevention estimates that 300,000 concussions are sustained during sports related activities nationwide, and more than 62,000 concussions are sustained each year in high school contact sports. Second-impact syndrome occurs when a person sustains a second concussion while still experiencing symptoms of a previous concussion. It can lead to severe impairment and even death of the victim.

Legislation (P.L. 2010, Chapter 94) signed on December 7, 2010, mandated measures to be taken in order to ensure the safety of K-12 student-athletes involved in interscholastic sports in New Jersey. It is imperative that athletes, coaches, and parent/guardians are educated about the nature and treatment of sports related concussions and other head injuries. The legislation states that:

- All Coaches, Athletic Trainers, School Nurses, and School/Team Physicians shall complete an Interscholastic Head Injury Safety Training Program by the 2011-2012 school year.
- All school districts, charter, and non-public schools that participate in interscholastic sports will distribute annually this educational fact to all student athletes and obtain a signed acknowledgement from each parent/guardian and student-athlete.
- Each school district, charter, and non-public school shall develop a written policy describing the prevention and treatment of sports-related concussion and other head injuries sustained by interscholastic student-athletes.
- Any student-athlete who participates in an interscholastic sports program and is suspected of sustaining a concussion will be immediately removed from competition or practice. The student-athlete will not be allowed to return to competition or practice until he/she has written clearance from a physician trained in concussion treatment and has completed his/her district's graduated return-to-play protocol.

Quick Facts

- Most concussions do not involve loss of consciousness
- You can sustain a concussion even if you do not hit your head
- A blow elsewhere on the body can transmit an "impulsive" force to the brain and cause a concussion

Signs of Concussions (Observed by Coach, Athletic Trainer, Parent/Guardian)

- Appears dazed or stunned
- Forgets plays or demonstrates short term memory difficulties (e.g. unsure of game, opponent)
- Exhibits difficulties with balance, coordination, concentration, and attention
- Answers questions slowly or inaccurately
- Demonstrates behavior or personality changes
- Is unable to recall events prior to or after the hit or fall

Symptoms of Concussion (Reported by Student-Athlete)

- Headache
- Nausea/vomiting
- Balance problems or dizziness
- Double vision or changes in vision

- Sensitivity to light/sound
- Feeling of sluggishness or fogginess
- Difficulty with concentration, short term memory, and/or confusion

What Should a Student-Athlete do if they think they have a concussion?

- Don't hide it. Tell your Athletic Trainer, Coach, School Nurse, or Parent/Guardian.
- Report it. Don't return to competition or practice with symptoms of a concussion or head injury. The sooner you report it, the sooner you may return-to-play.
- Take time to recover. If you have a concussion your brain needs time to heal. While your brain is healing you are much more likely to sustain a second concussion. Repeat concussions can cause permanent brain injury.

What can happen if a student-athlete continues to play with a concussion or returns to play to soon?

- Continuing to play with the signs and symptoms of a concussion leaves the student-athlete vulnerable to second impact syndrome.
- Second impact syndrome is when a student-athlete sustains a second concussion while still having symptoms from a previous concussion or head injury.
- Second impact syndrome can lead to severe impairment and even death in extreme cases.

Should there be any temporary academic accommodations made for Student-Athletes who have suffered a concussion?

- To recover cognitive rest is just as important as physical rest. Reading, texting, testing-even watching movies can slow down a student-athletes recovery.
- Stay home from school with minimal mental and social stimulation until all symptoms have resolved.
- Students may need to take rest breaks, spend fewer hours at school, be given extra time to complete assignments, as well as being offered other instructional strategies and classroom accommodations.

Student-Athletes who have sustained a concussion should complete a graduated return-to-play before they may resume competition or practice, according to the following protocol:

- Step 1: Completion of a full day of normal cognitive activities (school day, studying for tests, watching practice, interacting with peers) without reemergence of any signs or symptoms. If no return of symptoms, next day advance.
- Step 2: Light Aerobic exercise, which includes walking, swimming, and stationary cycling, keeping the intensity below 70% maximum heart rate. No resistance training. The objective of this step is increased heart rate.
- Step 3: Sport-specific exercise including skating, and/or running: no head impact activities. The objective of this step is to add movement.
- Step 4: Non contact training drills (e.g. passing drills). Student-athlete may initiate resistance training.
- Step 5: Following medical clearance (consultation between school health care personnel and student-athlete's physician), participation in normal training activities. The objective of this step is to restore confidence and assess functional skills by coaching and medical staff.
- Step 6: Return to play involving normal exertion or game activity.

| or further information on Sports-Related Concussions and other Head Injuries, please visit: www.cdc.gov/concussion/sports/index.html www.nfhs.com | | | |
|---|-----------------|---------------|------|
| www.ncaa.org/health-safety | www.bianj.org | www.atsnj.org | |
| Signature of Student-Athlete | Print Student-A | thlete's Name | Date |
| Signature of Parent/Guardian | Print Parent/Gu | ardian's Name | Date |



1308 North Avenue, Port Norris, NJ 08349 Phone: 856.785.0840 Fax: 856.785.2354

Kristin Schell
Superintendent

Darren Harris, SBASchool Business Administrator

Alysia R. Thomson, M.Ed. Assistant Principal

John Lavell Supervisor of Special Serv./CST Supervisor

Use and Misuse of Opioid Drugs Fact Sheet

Student-Athlete and Parent/Guardian Sign-Off

In accordance with *N.J.S.A.* 18A:40-41.10, public school districts, approved private schools for students with disabilities, and nonpublic schools participating in an interscholastic sports program must distribute this *Opioid Use and Misuse Educational Fact Sheet* to all student-athletes and cheerleaders. In addition, schools and districts must obtain a signed acknowledgement of receipt of the fact sheet from each student-athlete and cheerleader, and for students under age 18, the parent or guardian must also sign.

This sign-off sheet is due to the appropriate school personnel as determined by your district prior to the first official practice session of the spring 2018 athletic season (March 2, 2018, as determined by the New Jersey State Interscholastic Athletic Association) and annually thereafter prior to the student-athlete's or cheerleader's first official practice of the school year.

| Name of School: Commercial Township School |
|--|
| Name of School District (if applicable): Commercial Township School District |
| I/We acknowledge that we received and reviewed the Educational Fact Sheet on the Use and Misuse of Opioid Drugs. |
| Student Signature: |
| Parent/Guardian Signature (also needed if student is under age 18): |
| Date: |

¹Does not include athletic clubs or intramural events.

COMMERCIAL TOWNSHIP SCHOOL ATHLETIC PARTICIPATION CONTRACT

We at Commercial Township School work to develop in each individual, the skills necessary to reach their full potential, to work hard, play hard, building upon our tradition in athletics. To be part of the tradition, certain policies and expectations must be met. The following contract has been established to provide communication between the coach, the student-athlete and the family. The intent of this contract is to prevent any misunderstanding about rules and regulations. We ask that both the student-athlete and the parent/guardian sign this agreement, fully realizing the effort and dedication the program demands. This form needs to be returned with your physical. One contract must be on file for every student-athlete for each sport in which he/she is participating.

1. Academic Eligibility

Each student-athlete must work as hard in the classroom as they do in the athletic arena. Remember you are a student first and an athlete second.

Please contact your Coach if you have any questions about eligibility.

2. Participation Regulations

In addition to the academic requirements above, each student-athlete must also adhere to the following regulations. Medical Examination-All student athletes must have a current, completed Athletic Pre-Participation Physical Examination Form (Health History and Physical Evaluation) on file in the nurse's office prior to their first practice. (NJAC 6A:16-2.2)

3. Attendance

Attendance is mandatory to all practices, meetings and games. Each student-athlete has an obligation to attend every team session and should expect to be disciplined by the coach when absent from team sessions. There is virtually no reason for missing a team session. Medical and professional appointments should be made at time when practice is not scheduled. If the student-athlete is not feeling well and is unable to participate in practice, the student athlete should still attend the practice so he/she may learn what is being taught. If the student-athlete must miss a practice, he/she must notify the coach in person no later than the previous day. An absence may result in the athlete not being permitted to play in the next game/event. An unexcused absence may result in dismissal from the team. A student-athlete may not participate in a game or practice on any day he/she is absent or tardy to school after the start of 3rd period.

4. Behavior

Student-athletes should abide by the rules set forth by the school district. Deviation from these rules will lead to dismissal from the team. As a representative of Commercial Township School, you will be expected at all times to exemplify good sportsmanship and conduct that does not lend itself to criticism. We expect our student-athletes to have pride in themselves, their teammates and in Commercial Township School.

5. Attitude

Come to practice with a good attitude. Understand that the coaches are there to make you and the team better. Listen to corrections and do not take constructive criticism personally. Coaches and student-athletes are all striving to reach the same goals and if you work cooperatively, then together you will attain your goals. Participation in athletics at Commercial Township School will require a lot of your time. You will be responsible for managing your time to meet all of your obligations.

6. Communication

Communication is of utmost importance for a successful program. Student-athletes must display the ability to take direction, to get along with teammates and the coaching staff and to share information and concerns. Communication is a three way street between the athlete, coaches and parents which must remain open. Student-athletes and parents should not hesitate to ask questions and ask for assistance from the coaching staff.

COMMERCIAL TOWNSHIP SCHOOL ATHLETIC PARTICIPATION CONTRACT

Discipline

Discipline is an important part of any organization, including a team. Student-athletes should understand the concept of discipline and the necessity of discipline. Discipline will occur in the structure of goals, objectives, corrections, constructive criticism and praise. Courtesy, politeness and good manners will be stressed on and off the field of competition to decrease selfishness.

8. Coachability

Voluntary cooperation or the ability to say "I'll work together" and "I'll do it" is needed from every student-athlete toward their athletic program. Everything in life is a cooperative venture whether it is on your team, in the home, in work, in your community, in your church, city, state, country or world. It is vital that you learn to work cooperatively in everything you do. Student-athletes must put the success of the team above personal success. We like to define coachability and team spirit as an eagerness to sacrifice personal glory for the welfare of the team or to lose oneself in the group for the good of the group. We believe in stressing the idea to each student-athlete that he/she should not compare themselves with others but should make every effort to become the best that he/she is capable of becoming. Mutual respect is an important aspect of coachability. Respect all players, coaches, managers and trainers; they are all an integral part of the team.

9 Athletic Injuries

If you are injured while participating in a school athletic program, you must notify your coach immediately. If you consult a physician for any athletic injury, you are required to have written clearance (doctor's note) before you can participate again. If you are excused from gym for medical reasons, you may not participate in your sport until you are cleared by the treating physician.

10. Alcohol, Drugs, Anabolic-Steroids and Tobacco

Student-athletes shall not engage in the use of alcohol, drugs, anabolic steroids or tobacco at any time. Student-athletes found to be in possession or under the influence of alcohol, drugs, anabolic steroids or tobacco or found to be involved in the sale or distribution of the same will be ineligible to participate in athletic activities.

11. Hazing/Bullying/Horseplay/Fighting

Hazing, bullying, horseplay and fighting are strictly prohibited. The term 'hazing' shall mean any conduct or method of initiation into any student organization, whether on public or private property, which willfully or recklessly endangers the physical or mental health of any student or other person. Bullying behavior is defined as demeaning or intimidating behaviors that cause fear of personal harm to others. Horseplay is defined as rough, boisterous play.

12. Transportation/Travel Requirements

<u>Travel Requirements:</u> All student-athletes are expected to travel on the team bus. Exceptions may be granted in emergencies and only parents/guardians can drive their own children. The procedure will be to seek permission from the coach, with a written request from the parent. These requests must be made at least 24 hours in advance, except in extenuating circumstances. <u>ATHLETES ARE REQUIRED TO WEAR THEIR SEAT BELTS AT ALL TIME WHEN RIDING THE SCHOOL BUS.</u>

<u>Transportation After Athletic Events:</u> Student-athletes must be picked up promptly after all practices/games. Failure to do so repeatedly may result in dismissal from the team.

| Signature of Student-Athlete | Printed Student-Athlete's Name | Date |
|------------------------------|--------------------------------|------|
| | | |
| Signature of Parent/Guardian | Printed Parent/Guardian's Name | Date |

Website Resources

- http://tinyurl.com/m2gjmvq Sudden Death in Athletes
- Hypertrophic Cardiomyopathy Association www.4hcm.org
- American Heart Association www.heart.org

Collaborating Agencies:

American Academy of Pediatrics

3836 Quakerbridge Road, Suite 108 Hamilton, NJ 08619 **New Jersey Chapter**

(p) 609-842-0014 (f) 609-842-0015

American Heart Association

www.aapnj org

Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020 www.heart.org

New Jersey Department of Education PO Box 500

renton, NJ 08625-0500 (p) 609-292-5935

www.state.nj.us/education/

New Jersey Department of Health P.O. Box 360

renton, NJ 08625-0360 www.state.nj.us/health (p) 609-292-7837



Lead Author: American Academy of Pediatrics, **Vew Jersey Chapter**

Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD

American Heart Association/New Jersey Chapter, NJ Academy of Family Practice, Pediatric Cardiologists, Additional Reviewers: NJ Department of Education, NJ Department of Health and Senior Services, New Jersey State School Nurses

Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Louis Teichholz, MD; Perry Weinstock, MD Christene DeWitt-Parker, MSN, CSN, RN; Lakota Kruse, MD, MPH; Susan Martz, EdM; Revised 2014: Nancy Curry, EdM;

ATHLETES CARDIA SUDDEN YOUNG DEATH

Sudden Cardiac Death The Basic Facts on in Young Athletes





American Academy of Pediatrics DEDICATED TO THE HEALTH OF ALL CHILDREN'





CARDIAC DEATH IN YOUNG ATHLETES SUDDEN

udden death in young athletes between the ages of 10 done to prevent this kind of What, if anything, can be and 19 is very rare. :ragedy?

What is sudden cardiac death

ultimately dies unless normal heart rhythm time) during or immediately after exercise heart function, usually (about 60% of the pumping adequately, the athlete quickly result of an unexpected failure of proper is restored using an automated external without trauma. Since the heart stops collapses, loses consciousness, and Sudden cardiac death is the defibrillator (AED).

How common is sudden death in young

Sudden cardiac death in young athletes is The chance of sudden death occurring to any individual high school athlete is reported in the United States per year. very rare. About 100 such deaths are about one in 200,000 per year.

other sports; and in African-Americans than common: in males than in females; in football and basketball than in in other races and ethnic groups. Sudden cardiac death is more

What are the most common causes?

by one of several cardiovascular abnormalities roo-LAY-shun). The problem is usually caused ventricular fibrillation (ven-TRICK-you-lar fib-Research suggests that the main cause is a and electrical diseases of the heart that go loss of proper heart rhythm, causing the blood to the brain and body. This is called unnoticed in healthy-appearing athletes. heart to quiver instead of pumping

muscle, which can cause serious heart rhythm also called HCM. HCM is a disease of the heart. The most common cause of sudden death in problems and blockages to blood flow. This (hi-per-TRO-fic CAR- dee-oh-my-OP-a-thee) genetic disease runs in families and usually an athlete is hypertrophic cardiomyopathy with abnormal thickening of the heart develops gradually over many years.

blood vessels are connected to arteries. This means that these heart in an abnormal way. This the main blood vessel of the The second most likely cause is congenital abnormalities of the coronary (con-JEN-it-al) (i.e., present from birth)

(commonly called "coronary artery disease," which may lead to a heart differs from blockages that may occur when people get older attack)

Other diseases of the heart that can lead to sudden death in young people include:

- Myocarditis (my-oh-car-DIE-tis), an acute inflammation of the heart muscle (usually due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- Long QT syndrome and other electrical abnormalities of the heart which cause abnormal fast heart rhythms that can also run in families.
- Marfan syndrome, an inherited disorder that affects heart valves, walls of major arteries, eyes and the skeleton. It is generally seen in unusually tall athletes, especially if being tall is not common in other family members.

Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- Fainting or a seizure from emotional excitement, emotional distress or being startled;
- Dizziness or lightheadedness, especially during exertion;
- Chest pains, at rest or during exertion;
- Palpitations awareness of the heart beating unusually (skipping, irregular or extra beats) during athletics or during cool down periods after athletic participation;
- Fatigue or tiring more quickly than peers; or
- Being unable to keep up with friends due to shortness of breath (labored breathing).

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

What are the current recommendations for screening young athletes?

New Jersey requires all school athletes to be examined by their primary care physician ("medical home") or school physician at least once per year. The New Jersey Department of Education requires use of the specific Preparticipation Physical Examination Form (PPE).

This process begins with the parents and student-athletes answering questions about symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or shortness of breath); and questions about family health history.

The primary healthcare provider needs to know if any family member died suddenly during physical activity or during a seizure. They also need to know if anyone in the family under the age of 50 had an unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to identify those at risk for sudden cardiac death.

The required physical exam includes measurement of blood pressure and a careful listening examination of the heart, especially for murmurs and rhythm abnormalities. If there are no warning signs reported on the health history and no abnormalities discovered on exam, no further evaluation or testing is recommended.

Are there options privately available to screen for cardiac conditions?

Technology-based screening programs including a 12-lead electrocardiogram (ECG) and echocardiogram (ECHO) are noninvasive and painless options parents may consider in addition to the required

expensive and are not currently advised by the American Academy of Pediatrics and the American College of Cardiology unless the American College of Cardiology unless the PPE reveals an indication for these tests. In addition to the expense, other limitations of technology-based tests include the possibility of "false positives" which leads to unnecessary stress for the student and parent or guardian as well as unnecessary restriction from athletic participation.

The United States Department of Health and Human Services offers risk assessment options under the Surgeon General's Family History Initiative available at http://www.hhs.gov/familyhistory/index.html.

When should a student athlete see a heart specialist?

If the primary healthcare provider or school physician has concerns, a referral to a child heart specialist, a pediatric cardiologist, is recommended. This specialist will perform a more thorough evaluation, including an electrocardiogram (ECG), which is a graph of the electrical activity of the heart. An echocardiogram, which is an ultrasound test to allow for direct visualization of the heart structure, will likely also be done. The specialist may also order a treadmill exercise test and a monitor to enable a longer recording of the heart rhythm. None of the testing is invasive or uncomfortable.

Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death in the athlete. This is because some diseases are difficult to uncover and may only develop later in life. Others can develop following a

normal screening evaluation, such as an infection of the heart muscle from a virus.

This is why screening evaluations and a review of the family health history need to be performed on a yearly basis by the athlete's primary healthcare provider. With proper screening and evaluation, most cases can be identified and prevented.

Why have an AED on site during sporting events?

The only effective treatment for ventricular fibrillation is immediate use of an automated external defibrillator (AED). An AED can restore the heart back into a normal rhythm. An AED is also life-saving for ventricular fibrillation caused by a blow to the chest over the heart (commotio cordis).

N.J.S.A. 18A:40-41a through c, known as "Janet's Law," requires that at any schoolsponsored athletic event or team practice in New Jersey public and nonpublic schools including any of grades K through 12, the following must be available:

- An AED in an unlocked location on school property within a reasonable proximity to the athletic field or gymnasium; and
- A team coach, licensed athletic trainer, or other designated staff member if there is no coach or licensed athletic trainer present, certified in cardiopulmonary resuscitation (CPR) and the use of the AED; or
- A State-certified emergency services provider or other certified first responder.

The American Academy of Pediatrics recommends the AED should be placed in central location that is accessible and ideally no more than a 1 to 1'12 minute walk from any location and that a call is made to activate 911 emergency system while the AED is being

OPIOID USE AND MISUSE EDUCATIONAL FACT SHEET

Keeping Student-Athletes Safe

School athletics can serve an integral role in students' development. In addition to providing healthy forms of exercise, school athletics foster friendships and camaraderie, promote sportsmanship and fair play, and instill the value of competition.

Unfortunately, sports activities may also lead to injury and, in rare cases, result in pain that is severe or long-lasting enough to require a prescription opioid painkiller.¹ It is important to understand that overdoses from opioids are on the rise and are killing Americans of all ages and backgrounds. Families and communities across the country are coping with the health, emotional and economic effects of this epidemic.²

This educational fact sheet, created by the New Jersey Department of Education as required by state law (*N.J.S.A.* 18A:40-41.10), provides information concerning the use and misuse of opioid drugs in the event that a health care provider prescribes a student-athlete or cheerleader an opioid for a sports-related injury. Student-athletes and cheerleaders participating in an interscholastic sports program (and their parent or guardian, if the student is under age 18) must provide their school district written acknowledgment of their receipt of this fact sheet.

How Do Athletes Obtain Opioids?

In some cases, student-athletes are prescribed these medications. According to research, about a third of young people studied obtained pills from their own previous prescriptions (i.e., an unfinished prescription used outside of a physician's supervision), and 83 percent of adolescents had unsupervised access to their prescription medications.³ It is important for parents to understand the possible hazard of having unsecured prescription medications in their households. Parents should also understand the importance of proper storage and disposal of medications, even if they believe their child would not engage in non-medical use or diversion of prescription medications.

What Are Signs of Opioid Use?

According to the National Council on Alcoholism and Drug Dependence, 12 percent of male athletes and 8 percent of female athletes had used prescription opioids in the 12-month period studied.³ In the early stages of abuse, the athlete may exhibit unprovoked nausea and/or vomiting. However, as he or she develops a tolerance to the drug, those signs will diminish. Constipation is not uncommon, but may not be reported. One of the most significant indications of a possible opioid addiction is an athlete's decrease in academic or athletic performance, or a lack of interest in his or her sport. If these warning signs are noticed, best practices call for the student to be referred to the appropriate professional for screening, such as provided through an evidence-based practice to identify problematic use, abuse and dependence on illicit drugs (e.g., Screening, Brief Intervention, and Referral to Treatment (SBIRT)) offered through the New Jersey Department of Health.

What Are Some Ways Opioid Use and Misuse Can Be Prevented?

According to the New Jersey State Interscholastic Athletic Association (NJSIAA) Sports Medical Advisory Committee chair, John P. Kripsak, D.O., "Studies indicate that about 80 percent of heroin users started out by abusing narcotic painkillers."

The Sports Medical Advisory Committee, which includes representatives of NJSIAA member schools as well as experts in the field of healthcare and medicine, recommends the following:

- The pain from most sports-related injuries can be managed with non-narcotic medications such as acetaminophen, non-steroidal anti-inflammatory medications like ibuprofen, naproxen or aspirin. Read the label carefully and always take the recommended dose, or follow your doctor's instructions. More is not necessarily better when taking an over-the-counter (OTC) pain medication, and it can lead to dangerous side effects.
- Ice therapy can be utilized appropriately as an anesthetic.
- Always discuss with your physician exactly what is being prescribed for pain and request to avoid narcotics.
- In extreme cases, such as severe trauma or post-surgical pain, opioid pain medication should not be prescribed for more than five days at a time;
- Parents or guardians should always control the dispensing of pain medications and keep them in a safe, non-accessible location; and
- Unused medications should be disposed of immediately upon cessation of use. Ask your pharmacist about drop-off locations or home disposal kits like Deterra or Medsaway.

According to NJSIAA Sports
Medical Advisory Committee chair,
John P. Kripsak, D.O., "Studies
indicate that about 80 percent of
heroin users started out by abusing
narcotic painkillers."




In consultation with



STATE OF NEW JERSEY DEPARTMENT OF HEALTH

NJSIAA SPORTS MEDICAL **ADVISORY COMMITTEE**





Even With Proper Training and Prevention, **Sports Injuries May Occur**

There are two kinds of sports injuries. Acute injuries happen suddenly, such as a sprained ankle or strained back. Chronic injuries may happen after someone plays a sport or exercises over a long period of time, even when applying overuse-preventative techniques.5

Athletes should be encouraged to speak up about injuries, coaches should be supported in injury-prevention decisions, and parents and young athletes are encouraged to become better educated about sports safety.6

What Are Some Ways to Reduce the Risk of Injury?

Half of all sports medicine injuries in children and teens are from overuse. An overuse injury is damage to a bone, muscle, ligament, or tendon caused by repetitive stress without allowing time for the body to heal. Children and teens are at increased risk for overuse injuries because growing bones are less resilient to stress. Also, young athletes may not know that certain symptoms are signs of overuse.

The best way to deal with sports injuries is to keep them from happening in the first place. Here are some recommendations to consider:



PREPARE Obtain the preparticipation physical evaluation prior to participation on a school-sponsored interscholastic or intramural athletic team or squad.



CONDITIONING Maintain a good fitness level during the season and offseason. Also important are proper warm-up and cooldown exercises.



PLAY SMART Try a variety of sports and consider specializing in one sport before late adolescence to help avoid overuse injuries.



ADEQUATE HYDRATION Keep the body hydrated to help the heart more easily pump blood to muscles, which helps muscles work efficiently.



TRAINING Increase weekly training time, mileage or repetitions no more than 10 percent per week. For example, if running 10 miles one week, increase to 11 miles the following week. Athletes should also cross-train and perform sport-specific drills in different ways, such as running in a swimming pool instead of only running on the road.



REST UP Take at least one day off per week from organized activity to recover physically and mentally. Athletes should take a combined three months off per year from a specific sport (may be divided throughout the year in one-month increments). Athletes may remain physically active during rest periods through alternative low-stress activities such as stretching, yoga or walking.



PROPER EQUIPMENT Wear appropriate and properly fitted protective equipment such as pads (neck, shoulder, elbow, chest, knee, and shin), helmets, mouthpieces, face guards, protective cups, and eyewear. Do not assume that protective gear will prevent all injuries while performing more dangerous or risky activities.

Resources for Parents and Students on Preventing Substance Misuse and Abuse

The following list provides some examples of resources:

National Council on Alcoholism and Drug Dependence - NJ promotes addiction treatment and recovery.

New Jersey Department of Health, Division of Mental Health and Addiction Services is committed to providing consumers and families with a wellness and recovery-oriented model of care.

New Jersey Prevention Network includes a parent's quiz on the effects of opioids.

Operation Prevention Parent Toolkit is designed to help parents learn more about the opioid epidemic, recognize warning signs, and open lines of communication with their children and those in the community.

Parent to Parent NJ is a grassroots coalition for families and children struggling with alcohol and drug addiction.

Partnership for a Drug Free New Jersey is New Jersey's anti-drug alliance created to localize and strengthen drug-prevention media efforts to prevent unlawful drug use, especially among young people.

The Science of Addiction: The Stories of Teens shares common misconceptions about opioids through the voices of teens.

Youth IMPACTing NJ is made up of youth representatives from coalitions across the state of New Jersey who have been impacting their communities and peers by spreading the word about the dangers of underage drinking, marijuana use, and other substance misuse.

- References 1 Massachusetts Technical Assistance Partnership for Prevention
 - ² Centers for Disease Control and Prevention
 - 3 New Jersey State Interscholastic Athletic
- Association (NJSIAA) Sports Medical Advisory Committee (SMAC)
- ⁴ Athletic Management, David Csillan, athletic trainer, Ewing High School, NJSIAA SMAC
- ⁵ National Institute of Arthritis and Musculoskeletal and Skin Diseases
- USATODAY
- 7 American Academy of Pediatrics

An online version of this fact sheet is available on the New Jersey Department of Education's Alcohol, Tobacco, and Other Drug Use webpage. Updated Jan. 30, 2018.



Participating in sports and recreational activities is an important part of a healthy, physically active lifestyle for children. Unfortunately, injuries can, and do, occur. Children are at particular risk for sustaining a sports-related eye injury and most of these injuries can be prevented. Every year, more than 30,000 children sustain serious sports-related eye injuries. Every 13 minutes, an emergency room in the United States treats a sports-related eye injury. According to the National Eye Institute, the sports with the highest rate of eye injuries are: baseball/softball, ice hockey, racquet sports, and basketball, followed by fencing, lacrosse, paintball and boxing.

Thankfully, there are steps that parents can take to ensure their children's safety on the field, the court, or wherever they play or participate in sports and recreational activities.

Prevention of Sports-Related Eye Injuries

Approximately 90% of sports-related eye injuries can be prevented with simple precautions, such as using protective eyewear.² Each sport has a certain type of recommended protective eyewear, as determined by the American Society for Testing and Materials (ASTM). Protective eyewear should sit comfortably on the face. Poorly fitted equipment may be uncomfortable, and may not offer the best eye protection. Protective eyewear for sports includes, among other things, safety goggles and eye guards, and it should be made of polycarbonate lenses, a strong, shatterproof plastic. Polycarbonate lenses are much stronger than regular lenses.³

Health care providers (HCP), including family physicians, ophthalmologists, optometrists, and others, play a critical role in advising students, parents and guardians about the proper use of protective eyewear. To find out what kind of eye protection is recommended, and permitted for your child's sport, visit the National Eye Institute at http://www.nei.nih.gov/sports/findingprotection.asp. Prevent Blindness America also offers tips for choosing and buying protective eyewear at http://www.preventblindness.org/tips-buying-sports-eye-protectors, and http://www.preventblindness.org/ recommended-sports-eye-protectors.

It is recommended that all children participating in school sports or recreational sports wear protective eyewear. Parents and coaches need to make sure young athletes protect their eyes, and properly gear up for the game. Protective eyewear should be part of any uniform to help reduce the occurrence of sports-related eye injuries. Since many youth teams do not require eye protection, parents may need to ensure that their children wear safety glasses or goggles whenever they play sports. Parents can set a good example by wearing protective eyewear when they play sports.

¹ National Eye Institute, National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyelnjuries.pdf, December 26, 2013.

Rodriguez, Jorge O., D.O., and Lavina, Adrian M., M.D., Prevention and Treatment of Common Eye Injuries in Sports, http://www.aafp.org/afp/2003/0401/p1481.html, September 4, 2014; National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

³ Bedinghaus, Troy, O.D., Sports Eye Injuries, http://vision.about.com/od/emergencyeyecare/a/Sports_Injuries.htm, December 27, 2013.

The most common types of eye injuries that can result from sports injuries are blunt injuries, corneal abrasions and penetrating injuries.

Most Common
Types of Eye
Injuries

- ◆ Blunt injuries: Blunt injuries occur when the eye is suddenly compressed by impact from an object. Blunt injuries, often caused by tennis balls, racquets, fists or elbows, sometimes cause a black eye or hyphema (bleeding in front of the eye). More serious blunt injuries often break bones near the eye, and may sometimes seriously damage important eye structures and/or lead to vision loss.
- Corneal abrasions: Corneal abrasions are painful scrapes on the outside of the eye, or the cornea. Most corneal abrasions eventually heal on their

own, but a doctor can best assess the extent of the abrasion, and may prescribe medication to help control the pain. The most common cause of a sports-related corneal abrasion is being poked in the eye by a finger.

- Penetrating injuries: Penetrating injuries are caused by a foreign object piercing the eye. Penetrating injuries are very serious, and often result in severe damage to the eye. These injuries often occur when eyeglasses break while they are being worn. Penetrating injuries must be treated quickly in order to preserve vision.⁴
- Pain when looking up and/or down, or difficulty seeing;
- Tenderness;
- Sunken eye;
- Double vision;
- Severe eyelid and facial swelling;
- Difficulty tracking;

Signs or Symptoms of an Eye Injury



- The eye has an unusual pupil size or shape;
- Blood in the clear part of the eye;
- Numbness of the upper cheek and gum; and/or
- Severe redness around the white part of the eye.

What to do if a Sports-Related Eye Injury Occurs

If a child sustains an eye injury, it is recommended that he/she receive immediate treatment from a licensed HCP (e.g., eye doctor) to reduce the risk of serious damage, including blindness. It is also recommended that the child, along with his/her parent or guardian, seek guidance from the HCP regarding the appropriate amount of time to wait before returning to sports competition or practice after sustaining an eye injury. The school nurse and the child's teachers should also be notified when a child sustains an eye injury. A parent or guardian should also provide the school nurse with a physician's note detailing the nature of the eye injury, any diagnosis, medical orders for

the return to school, as well as any prescription(s) and/or treatment(s) necessary to promote healing, and the safe resumption of normal activities, including sports and recreational activities.

According to the American Family Physician Journal, there are several guidelines that should be followed when students return to play after sustaining an eye injury. For

Return to Play and Sports

example, students who have sustained significant ocular injury should receive a full examination and clearance by an ophthalmologist or optometrist. In addition, students should not return to play until the period of time recommended by their HCP has elapsed. For more minor eye injuries, the athletic trainer may determine that

it is safe for a student to resume play based on the nature of the injury, and how the student feels. No matter what degree of eye injury is sustained, it is recommended that students wear protective eyewear when returning to play and immediately report any concerns with their vision to their coach and/or the athletic trainer.

Additional information on eye safety can be found at http://isee.nei.nih.gov and http://www.nei.nih.gov/sports.